

DIGIMIC CMic

Delegates' Conference Unit with channel selector and voting functionality

Article no.: 05.0167



Description

The new CMic offers you improved technology in a slim design.

The new CMic allows cost-effective cabling with RJ45 connectors, which also allows faster installation. A new circuit design reduces power consumption, allowing more microphone stations to be connected to a DIGIMIC central unit.

With the CMic conferences can be optimally arranged: Microphone with push-to-talk and RTS function; voting function and channel selector ensure the best possible conditions for a smooth conference.

The channel selector allows selecting out of 32 audio channels. The selected channel is shown on the display in the appropriate language. The OLED display automatically adapts to its environment. It shines brightly and glare-free, even in darkened conference rooms.

The CMic has integrated loudspeakers for decentralised sound reinforcement, which switch off automatically when the microphone is activated. In addition, each unit has an individually adjustable headphone output.

Features

Attributes

- Low energy consumption
- More units per central unit
- Cost-effective RJ45 cabling
- Fast installation
- Adaptable display
- 5 buttons to select the language, volume and voting options
- Microphone button lights up red when speaking

Digital Audio

- High quality audio signal
- Sampling rate: 48 kHz
- Frequency response: 20 - 20,000 Hz
- Original + 31 language channels

Connectors

- 2 RJ45 connectors
- 3.5mm jack socket

Case

- Front panel: aluminium painted
- Housing: plastic
- WxHxD: 139 x 22 x 142
- Weight: approx. 400 g

System requirements

Required system components

- DCen32
Article no.: 05.0050
- DCen32 mini
Article no.: 05.0420

Microphones

- TMD/01
Article no.: 01.0701
- TM58/6
Article no.: 01.0560
- TMD/382
Article no.: 01.0740
- TMD/CL
Article no.: 01.0750

(all microphones are available in different lengths)

Other components

- DDol32
Article no.: 05.0750
- DExt
Article no.: 05.0025
- CChair
Article no.: 05.0187

Software

brählerOS conference software for network-based control of all DIGIMIC system components. Fast and easy configuration of all delegate units from a central location.