

DIGIMIC DPU N2

DIGIMIC Peripheral Unit

Article no.: 05.0451



Introduction


The DIGIMIC DPU N2 is multifunctional. It turns your classic delegate unit into a multimedia unit - controls monitors - lets you manage the entire conference from your seat. Thanks to new, faster hardware, data is transmitted in the shortest possible time.

In addition to headphone jack, you can easily connect a touch screen, mouse and keyboard. In connection with the software brählerOS Conference or Delegate you get a multimedia unit according to your wishes.




The brählerOS software is absolutely necessary for the use of the DPU N2.

Example system image
(multimedia unit)



Connectors



Construction

Connect the DPU N2 to a power source. Connect the DPU N2 to a power source by plugging a power plug into the power jack and connecting it to a suitable power source. Establish a connection to your network via the LAN connection (network cable/RJ45 plug). The HDMI port can be used to connect a touch screen monitor or monitor to the DPU N2. You also have a headphone jack and 4 USB connectors at your disposal, which you can equip according to your needs - for example with a mouse and keyboard.

If the DPU N2 extends your DIGIMIC lean+ unit to a multimedia terminal, you will also need to establish an internal connection to your unit. (For this type of use, a connected touch screen monitor is mandatory.)

Operation

As soon as the DPU N2 is supplied with power, it is ready for use. The DPU N2 is multifunctional: It turns your classic delegate unit (DIGIMIC lean+ unit) into a multimedia unit - controls monitors - lets you manage the entire conference from your seat.

Monitor/Screen

Connect the DIGIMIC DPU N2 to your conference system and connect a monitor/screen, for example above the podium. The brählerOS software now allows you to display desired content such as seating arrangements, documents or voting results on the screen.

Conference app

Using the DPU N2 and the brählerOS Conference Operator software, you can control the entire conference from your seat. You can use the touch screen to start votings or manage microphones and seats.

Delegate app

With the help of the DPU N2 you can turn classic delegate units into multimedia units. In combination with a touchscreen monitor and the brählerOS Delegate software, for example, you can gain insight into documents relevant to meetings - you can carry out voting via touchscreen.



Please refer to the corresponding operating instructions for the operation of the various software products.

Warnings



Only use suitable cables and equipment. If in doubt, ask a technician if your device/cable can be connected to the DPU N2.



In case of faults contact a technician, do not try to repair, unscrew or similar the DPU N2 yourself.

Further information about our products can be found on the Internet under:

www.braehler-systems.com

© 2019

Copyright by BRÄHLER Systems GmbH, Königswinter

All rights reserved, in particular (also in extracts) those of translation, reprinting, reproduction by copying or similar procedures.

BRÄHLER Systems reserves the right to make technical changes without prior notice.

Brähler Systems GmbH

Auf der Alten Burg 6

53639 Königswinter, Germany



+49 2244 8414-4

sales@braehler-systems.com